

**RACTOPAMINE HYDROCHLORIDE  
FINISHING CATTLE CONCENTRATE  
NB-0240-20**

**TYPE B MEDICATED FEED**

FOR INCREASED RATE OF WEIGHT GAIN, IMPROVED FEED EFFICIENCY AND INCREASED CARCASS LEANNESS IN CATTLE FED IN CONFINEMENT FOR SLAUGHTER DURING THE LAST 28 TO 42 DAYS ON FEED.

**ACTIVE DRUG INGREDIENT**

RACTOPAMINE HYDROCHLORIDE - - - - - 4,000 g/ton

**GUARANTEED ANALYSIS**

CALCIUM, (MIN) 15.1 %  
CALCIUM, (MAX) 18.1 %

**INGREDIENTS**

Rice Hulls, Calcium Carbonate, And Mineral Oil.

**DIRECTIONS FOR USE**

Increased Rate Of Weight Gain And Improved Feed Efficiency - Thoroughly Mix 4.1 To 12.3 Pounds/Ton Of Complete Feed To Provide 8.2 - 24.6 G/Ton Of Ractopamine.

Increased Rate Of Weight Gain, Improved Feed Efficiency, And Increased Carcass Leanness - Thoroughly Mix 4.9 To 12.3 Pounds/Ton Of Complete Feed To Provide 9.8 - 24.6 G/Ton Of Ractopamine.

Feed The Resulting Type C Medicated Feed Continuously To Cattle Fed In Confinement For Slaughter As The Sole Ration For The Last 28 To 42 Days On Feed.

**\*\*\* WARNING \*\*\***

The Active Ingredient In Optaflexx, Ractopamine Hydrochloride, Is A Beta-Adrenergic Agonist. Individuals With Cardiovascular Disease Should Exercise Special Caution To Avoid Exposure. Not For Use In Humans. Keep Out Of Reach Of Children. The Optaflexx 45 Formulation (Type A Medicated Article) Poses A Low Dust Potential Under Usual Conditions Of Handling And Mixing. When Mixing And Handling Optaflexx, Use Protective Clothing, Impervious Gloves, Protective Eye Wear, And A NIOSH-Approved Dust Mask. Operators Should Wash Thoroughly With Soap And Water After Handling. If Accidental Eye Contact Occurs, Immediately Rinse Eyes Thoroughly With Water. If Irritation Persists, Seek Medical Attention. The Material Safety Data Sheet Contains More Detailed Occupational Safety Information. To Report Adverse Effects, Access Medical Information, Or Obtain Additional Product Information, Call 1-800-428-4441.

**\*\*\* CAUTION \*\*\***

NOT FOR ANIMALS INTENDED FOR BREEDING.

IMPORTANT: MUST BE THOROUGHLY MIXED INTO FEED BEFORE USE.

DO NOT FEED UNDILUTED.

**MANUFACTURED BY:**

**NUTRA BLEND, LLC**

**3200 E. SECOND STREET**

**NEOSHO, MO 64850**

**NET WEIGHT 20 POUNDS (9.07 KGS)**