

RANGELAND® ALL STOCK TUB

SUPPLEMENT FEED FOR CATTLE ON PASTURE, GROWER
SHEEP AND GOATS

CAUTION: USE ONLY AS DIRECTED
GUARANTEED ANALYSIS

Crude Protein (Min)	15.00 %
Crude Fat (Min)	5.00 %
Crude Fiber (Max)	2.50 %
Acid Detergent Fiber (ADF) (Max)	3.00 %
Calcium (Ca) (Min)	2.00 %
Calcium (Ca) (Max)	2.50 %
Phosphorus (P) (Min)	1.50 %
Potassium (K) (Min)	3.00 %
Selenium (Se) (Min)	5.00 ppm
Vitamin A (Min)	80000 IU/LB

INGREDIENTS

Molasses Products, Plant Protein Products, Dicalcium Phosphate, Monocalcium Phosphate, Processed Grain By-Products, Soybean Oil, Calcium Carbonate, Magnesium Oxide, Sodium Hydroxide, Potassium Chloride, Vitamin A Supplement, Vitamin E Supplement, Vitamin D3 Supplement, Ferrous Sulfate, Potassium Iodide, Manganous Oxide, Cobalt Carbonate, Sodium Selenite, Sodium Molybdate, Zinc Sulfate, Manganese Sulfate, Zinc Oxide

LW37-FTB-D 2

DIRECTIONS

Follow these directions:

1. Feed one tub per 20-25 head and at least 2 tubs per pasture to ensure adequate intake by younger, timid animals.
2. Place tubs within 100 feet of where animals congregate (loafing, grazing, feeding and watering areas).
3. Feed tubs continuously along with plentiful sources of forage and fresh clean water.
4. Cattle will consume approximately 1/2 to 1 pound of this supplement per head daily.
5. Sheep and goats will consume between 1 and 6 oz. of this supplement daily.
6. If additional mineral and vitamin fortification is needed, provide a nutritionally balanced mineral/vitamin supplement containing salt.
7. This product does not contain added salt; therefore supplemental salt should be offered at all times.

See Reverse Side For Precautionary Statements



MANUFACTURED BY

Purina Animal Nutrition LLC
1080 County Road F West, Shoreview, MN 55126-2910

Feed Questions? Please call 1-800-227-8941
Net Weight 60 lb (27.21 kg)

18000062-613

RANGELAND® ALL STOCK TUB

LW37

IMPORTANT

MANAGEMENT TOOL NOTE: placement of tubs can influence grazing distribution in large pasture situations. Place tubs in areas of under-utilization in order to entice animals to specific locations within a pasture. INTRODUCTORY PERIOD: During the first week of use, place the tubs within 100 feet of the loafing and/or watering areas. As animals become accustomed to the presence of the tubs, some repositioning may be necessary. Move the blocks closer to increase consumption, further away to decrease consumption. DO NOT PROVIDE STARVED ANIMALS FREE ACCESS TO THIS SUPPLEMENT. Consumption rate depends on location of the tubs with respect to loafing, grazing, feeding and/or watering areas. Also consider animal condition, forage quality and quantity and seasonal weather conditions. If over-consumption occurs for more than two weeks despite tub repositioning, remove tubs and evaluate the overall feeding program.

CAUTION

Store in a dry, well-ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, performance loss or death. This product was made in a feed manufacturing facility that does not handle or store products containing animal proteins prohibited in ruminant feed.